

UNITED STATES PATENT AND TRADEMARK OFFICE



UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

DATE MAILED: 08/23/2005

A	APPLICATION NO.		FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
	10/697,564		10/31/2003	Frank Saggio III	028338-0112	8416	
	22428 7590 08/23/2005				EXAMINER		
	FOLEY A	ND LAF	RDNER	ELDRED, JOHN W			
	SUITE 500						
	3000 K STF	REET NV	٧		ART UNIT	PAPER NUMBER	
	WASHING	TON, D	C 20007		3644		

Please find below and/or attached an Office communication concerning this application or proceeding.

Supplemental							
Notice	of Allowability						

Application No.	Applicant(s)		
10/697,564	SAGGIO ET AL.		
Examiner	Art Unit		
J. Woodrow Eldred	3644		

	J. Woodrow Eldred	3644				
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS HOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.						
1. This communication is responsive to						
2. ⊠ The allowed claim(s) is/are <u>1-49 and 101-187</u> .	. ⊠ The allowed claim(s) is/are <u>1-49 and 101-187</u> .					
B. The drawings filed on are accepted by the Examiner.						
Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). * Certified copies not received:						
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.						
5. A SUBSTITUTE OATH OR DECLARATION must be subm INFORMAL PATENT APPLICATION (PTO-152) which give			OTICE OF			
CORRECTED DRAWINGS (as "replacement sheets") must be submitted. (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d). To DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.						
Attachment(s) 1. ☐ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/C Paper No./Mail Date 4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material	5. ☐ Notice of Informal P 6. ☐ Interview Summary Paper No./Mail Dat 7. ☐ Examiner's Amendr 8. ☑ Examiner's Stateme 9. ☐ Other	(PTO-413), le nent/Comment	ŕ			
	lu	todion Edu	rd			

U.S. Patent and Trademark Office PTOL-37 (Rev. 1-04) Art Unit: 3644

1. The following is an examiner's statement of reasons for allowance: The prior art of record fails to disclose or make obvious the claimed stabilization system for a drogue body. Specifically, the prior art fails to show a flexible joint located on a drogue between a rotatable mass and a connector to a refueling hose. The prior art also fails to show a drogue spin stabilization kit that attaches to a prior art drogue. It is noted that the prior art showing refueling drogues with rotatable masses only have masses which are structurally integrated within the drogue and it is not obvious to modify these references by saying the rotating elements could form a separate kit that could be attached to another drogue.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

- 2. Claims 1-49 and 101-187 are allowed.
- 3. Any inquiry concerning this communication or earlier communications from the examiner should be directed to J. Woodrow Eldred whose telephone number is 571-273-6901. The examiner can normally be reached on Monday to Thursday, from 8:00 a.m. to 5:30 p.m..

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Teri Luu can be reached on 571-272-7045. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

J. Woodrow Eldred Primary Examiner

4 Woodow Edet

Art Unit 3644